

REINFORCEMENT	Name _____	Period _____	Date _____
----------------------	------------	--------------	------------

READY

Topic: Inverse operations

Inverse operations "undo" each other. For instance, addition and subtraction are inverse operations. So are multiplication and division. In mathematics, it is often convenient to *undo* several operations in order to solve for a variable.

Solve for x in the following problems. Then complete the statement by identifying the operation you used to "undo" the equation.

1. $24 = 3x$ Undo multiplication by 3 by dividing by 3
2. $\frac{x}{5} = -2$ Undo division by 5 by multiplying by 5
3. $x + 17 = 20$ Undo add 17 by subtracting 17
4. $\sqrt{x} = 6$ Undo the square root by squaring
5. $\sqrt[3]{(x+1)} = 2$ Undo the cube root by cubing then subtracting 1
6. $x^4 = 81$ Undo raising x to the 4th power by taking the 4th root
7. $(x-9)^2 = 49$ Undo squaring by taking the 2nd root then adding 9
undo subtracting 9 by

SET

Topic: Linear functions and their inverses

Carlos and Clarita have a pet sitting business. When they were trying to decide how many each of dogs and cats they could fit into their yard, they made a table based on the following information. Cat pens require 6 ft² of space, while dog runs require 24 ft². Carlos and Clarita have up to 360 ft² available in the storage shed for pens and runs, while still leaving enough room to move around the cages. They made a table of all of the combinations of cats and dogs they could use to fill the space. They quickly realized that they could fit in 4 cats in the same space as one dog.

Need help? Visit www.rsgsupport.org

cats	0	4	8	12	16	20	24	28	32	36	40	44	48	52	56	60
dogs	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0

Jump
 Or
 Direct
 Plus

9. Use the information in the table to write 5 ordered pairs that have cats as the input value and dogs as the output value.

Various answers - any 5 ordered pairs from table
 Ex. (0, 15), (4, 14), (8, 13), (12, 12), (16, 11)

10. Write an explicit equation that shows how many dogs they can accommodate based on how many cats they have. (The number of dogs "d" will be a function of the number of cats "c" or $d = f(c)$)

linear - constant rate of change
 $m = -\frac{1}{4}$ Equation: $d = -\frac{1}{4}c + 15$ or $f(c) = -\frac{1}{4}c + 15$

11. Use the information in the table to write 5 ordered pairs that have dogs as the input value and cats as the output value.

Various answers
 Ex. (15, 0), (14, 4), (13, 8), (12, 12), (11, 16)

12. Write an explicit equation that shows how many cats they can accommodate based on how many dogs they have. (The number of cats "c" will be a function of the number of dogs "d" or $c = g(d)$)

$m = -4$ Equation: $c = -4(d - 15)$ or $g(d) = -4d + 60$
 or $c = -4d + 60$

Base your answers in #12 and #13 on the table at the top of the page.

13. Look back at problem 8 and problem 10. Describe how the ordered pairs are different.

The x- and y-coordinates have switched places

Discrete, not continuous, whole numbers between 0 & 60
 Ex. (0, 15), (4, 14), (8, 13), (12, 12), (16, 11)
 whole numbers between 0 & 15
 Ex. (15, 0), (14, 4), (13, 8), (12, 12), (11, 16)

c) What is the relationship between them?

The domain for $f(c)$ is the range for $g(d)$, & vice versa
 (i.e. inverse functions)

Need help? Visit www.rsgsupport.org

GO

Topic: Using function notation to evaluate a function.

The functions $f(x)$, $g(x)$, and $h(x)$ are defined below.

$$f(x) = x$$

$$g(x) = 5x - 12$$

$$h(x) = x^2 + 4x - 7$$

Calculate the indicated function values in the following problems. Simplify your answers.

12/4/07
problems

14. $f(10)$
 $= 10$

15. $f(-2)$
 $= -2$

16. $f(a)$
 $= a$

17. $f(a+b)$
 $= a+b$

18. $g(10)$
 $= 5(10) - 12$
 $= 38$

19. $g(-2)$
 $= 5(-2) - 12$
 $= -22$

20. $g(a)$
 $= 5a - 12$

20. $g(a+b)$
 $= 5a + 5b - 12$

22. $h(10)$
 $= (10)^2 + 4(10) - 7$
 $= 133$

23. $h(-2)$
 $= (-2)^2 + 4(-2) - 7$
 $= -11$

24. $h(a)$
 $= a^2 + 4a - 7$

25. $h(a+b)$
 $= (a+b)^2 + 4(a+b) - 7$
 $= a^2 + 2ab + b^2 + 4a + 4b - 7$

Need help? Visit www.rsgsupport.org